



Bluebird Outdoor Adventures

RV User's Manual

Thank you for choosing Bluebird Outdoor Adventures, we hope you enjoy the stay in your camper! In order to maximize your fun, we ask that you please follow these simple guidelines below when setting up. If you have any questions, please do not hesitate to give us a call. Enjoy!

1). Start Here

- **For your own safety**, your camping site must be as **level as possible**.
- Place wheel chocks behind wheels and ensure they are snug against the wheel.
- Disconnect camper from your vehicles tail lights and unhitch the safety chains.
- Level indicators are located on the front and back of the camper, refer to the picture below for how level indicators should look when the camper is properly placed. **INSERT PIC OF LEVEL INDICATORS HERE**
- **DO NOT** use the stabilizer jacks under the camper to "lift the unit. These devices are for stabilization only. In the event the back or one side of the camper needs to be higher, lower the hitch jack then lower the stabilizers in the rear, then lift the front jack. Refer to pictures below for **Need pic of stabilizer jacks**
- When unit is level, secure stabilizers.

2). Hotel Services

- Turn on gas supply.
- *Note* the air conditioner will require a minimum of a 30 Amp power supply, check with your campsite.
- If connecting to a water supply, install water pressure restrictor on hydrant then connect supply hose to restrictor and the camper. See pic below **Need pic of water restrictor**

- Allow 15 minutes for water to fill hot water tank before energizing the hot water heater. Lighting off the hot water heater prior to the water tank being full will likely damage the unit.
-

Light the water heater, some models have an auto ignite button, some are manual.

If no RV utilities the unit is equipped with a water pump. It is self-contained, so lights are on 12 volt system

3) . Awning Deployment and Retrieval

1. Pull out secure sleeves
2. Loosen adjuster knobs so support arms can move while awning is put up
3. In trunk use the metal rod with a hook and a circle to move the pull out knob down
4. Use the hook end to pull awning out
5. Pull awning all the way out
6. Pull handle out and move up slide to extend awning.
7. Do each equal until it is fully extended
8. The support arms will slide up and latch at the top or end of the awning
9. Tighten black knobs to tighten awning fabric.
10. Reverse operation for retrieval of awning.

3) . Safety

- Each unit is equipped with smoke and carbon monoxide detectors
- Emergency exit window
- Fire extinguisher
- Weather radio

- If you smell gas, turn off any pilot and or electric appliances and get out. Turn off gas supply

If a tornado or flood warning is issued, get out and go to a safe place.

Bluebird Outdoor Adventures _____

Date _____

Renter _____

Date _____